

# SEGAL Oil Seal

Reliable Function,  
Optimum Performance,  
Tested by Original Equipments






ISO  
16949

**Oil Seal  
Valve Stem Seal**  
Certified:

ISO9001  
ISO/TS16949  
ISO14001  
OHSAS18001

All vehicle manufacturers, name and original numbers in this catalogue are for reference purposes only.

Picture	Remark	SEGAL No	OEM, Reference	Replacement
	Inner Diameter 8mm Outer Dia (1) 10.8mm Outer Dia (2) 14.2mm Thickness 10mm FPM,Fluoride Rubber <b>Viton, Material</b>	<b>SE 8125-01</b>  Engine Valve Stem	95622 95630 95631 95637 7700733464 195100157000 26109675 11341273501 8200266369 5959598 1639190 9060530158 642505 26109675	<b>Peugeot</b> 405//205/304/305 306/309/406/504 505/605/806 Boxer/ Expert J5/J9/ Partner  <b>Renault</b> R11/R14/R18/R19 R20/R21/R25 Clio/Espace Kangoo/ Laguna Master/ Megane Rapid/ Trafic  <b>Citroen</b> <b>Alfa Romeo</b> <b>Audi</b> <b>BMW</b> <b>Fiat</b> <b>Opel</b> <b>WV</b>
	Inner Dia (1) 7mm Inner Dia (2) 9.8mm Outer Dia (1) 12.35mm Outer Dia (2) 13.20mm Thickness 10mm <b>Viton, Material</b>	<b>SE 8125-02</b>  Engine Valve Stem	95624 46440885 11341706580 31164 95628 605075570 60810669 95619 7700104839 27109675	<b>Peugeot</b> 206/ 104 /106 / 205 309 / Partner  <b>Renault;</b> R11/ R19/ R21/ R25/ R30 Clio/ Espace/ Kangoo/ Laguna Master / Mehane/ Rapid Safrane/ Scenic/ Suppe 5 Trafic/ Twingo  <b>BMW</b> 3/ 5/ 7/  <b>Citroen:</b> AX/ Berlingo/ C15/ C2/ C3 Saxo/ Visa/ Xantia/ ZX  <b>Fiat / Lancia / Nissan /Opel</b>
	Inner Diameter 6mm Outer Diameter 26.5mm Thickness 17.5mm FPM,Fluoride Rubber <b>Viton, Material</b>	<b>SE 8125-03</b>  Engine Valve Stem	095645	<b>Peugeot</b> 406 / 206 / 306 / 307 407/ 605/ 607/ 806 807/ Expert/  <b>Citroen</b> C4 / C5 / C8 Evasion / Jumpy Xantia / XM / Xsara

All vehicle manufacturers, name and original numbers in this catalogue are for reference purposes only.

Picture	Remark	SEGAL No	OEM, Reference	Replacement
	Inner Dia 90mm Outer Dia 110 mm Thickness 12mm TGL-BI VN801,PN701/C/C///	<b>SE 8125-04</b>  Crankshaft Oil Seal, Transmission End	12728 96143793 96162017 9614379380 2322129000 9614379380 1612166G10 SU00100060	<b>Peugeot</b> 405 / 205/ 206/ 305 / 306 307/ 308/ 309 / 406 407 / 605 / 607 / 806 807/ Boxer/ Expert J5/ J9/ Partner <b>Citroen</b> Berlingo/ BX/ C15 C25/ C3/ C4/ C5 C8/ Evasion/ Jumper/ Jumpy Xantia/ Xm/ Xsara/ ZX  <b>Renault / Alfa / Audi</b> <b>BMW / Fiat / Ford</b> <b>Hyundai / Jeep / Kia</b> <b>Lancia / Mercedec</b> <b>Mitsubishi / Nissan</b> <b>Opel / Rover</b> <b>Suzuki / Toyota / VW</b>
	Inner Dia 42mm Outer Dia 62 mm Thickness 7mm TGR-BI VN801,PKC01/C/C///	<b>SE 8125-05</b>  Crankshaft Oil Seal, Timing End	32612 32622 32623 91504836 1172704 9400127479 2172929000 9400127479 1442776X1 9614194980 32612 32612 SU00100061 30757227	<b>Peugeot</b> 405 / 106/ 205/ 206/ 3008/ 305 306 / 307/ 308/ 309/ 406/ 407 5008/ 504/ 505/ 605/ 607/ 806 807/ Boxer/ Expert J5/ J9/ Partner <b>Citroen</b> Berlingo / BX/ C15/ C25 C25/ C3/ C4/ C5 / C8 Evasion/ Jumper/ Jumpy/ Visa Xantia/ Xm/ Xsara/ ZX <b>Renault</b> <b>Alfa /Audi / BMW / Fiat</b> <b>Ford / Honda / Hyundai</b> <b>Landrover / Mercedec</b> <b>Mitsubishi / Nissan /Opel</b> <b>Rover / Seat/ Suzuki / Toyota</b>
	Inner Dia 36mm Outer Dia 50 mm Thickness 7mm TGR-BI VN801,PKC01/C/C///	<b>SE 8125-06</b>  Camshaft, Oil Seal	23644 23616 23621 97510802 91515138 96014480 9400236499 130426F900	<b>Peugeot</b> <b>405/ 106/ 205 / 206 / 207</b> <b>305/ 306 / 307/ 309 / 406</b> <b>407 / 605 / 607 / 806 / 807</b> <b>Bipper / Boxer</b> Expert/ Partner <b>Citroen</b> AX / Berlingo / BX / C15 C2 / C3/ C4/ C5/ C8 Evasion / Juper/ Jumpy Nemo / Saxso / Visa Xantia / XM / Xsara / ZX <b>Fiat / Hyundai / Kia</b> <b>Lanchia /Nissan</b> <b>Opel / Chevrolet</b>

All vehicle manufacturers, name and original numbers in this catalogue are for reference purposes only.

Picture	Remark	SEGAL No	OEM, Reference	Replacement
	Inner Dia 29.9mm Outer Dia 47 mm Thickness 11.3mm TGW14-PL1 PK801/C/C/MSM120	<b>SE 8125-07</b>  Differential, Axle Oil Seal Outer Right	312126 96080792 9403121269	<b>Peugeot</b> 405 / 106/ 205/ 206 309/ 406/ 407 /605 806 / Expert/ Partner  <b>Citroen</b> Ax Berlingo/ BX/ C15 Evasion/ Jumpy Saxo/ Visa/ Xantia Xm/ Xsara/ ZX  <b>Fiat</b> Scudo Temptra Ulysse
	Inner Dia 40mm Outer Dia 48 mm Thickness 11.3mm TGW14-PL1 PK801/C/C/MSM1200T	<b>SE 8125-08</b>  Differential, Axle Oil Seal Outer Left	312127 96080067 9608006780	<b>Peugeot</b> 405 / 106/ 205/ 206 309/ 406/ 407 /605 806 / Expert/ Partner  <b>Citroen</b> Ax Berlingo/ BX/ C15 Evasion/ Jumpy Saxo/ Visa/ Xantia Xm/ Xsara/ ZX  <b>Fiat</b> Scudo Temptra Ulysse
	Inner Dia 23mm Outer Dia 36 mm Thickness 6/7mm TGR NN701B/C/C///	<b>SE 8125-09</b>  Transmission Shaft Oil Seal, Manual	210940 96077209 96140670 9614067080 SU00100208	<b>Peugeot</b> 405 / 1007/ 205/ 206 207 / 305/ 306/ 307/ 309 406/ 407 / 605/ 806 / 807 Expert/ Partner  <b>Citroen</b> Berlingo / BX / C15 / C2 C3 / C4 / C5 / C8 / Visa Evasion / Jumpy / XM Xantia / Xsara / ZX  <b>Fiat</b> Scudo Ulysse  <b>Lancia</b> Phedra / Zeta  <b>Toyota</b> Corolla

All vehicle manufacturers, name and original numbers in this catalogue are for reference purposes only.

Picture	Remark	SEGAL No	OEM, Reference	Replacement
	Inner Dia 29.5mm Outer Dia 47 mm Thickness 6/7mm TGN11 VK805/C/C//	<b>SE 8125-10</b>  Pinion Valve Oil Seal,		<b>Peugeot</b> 405
	Inner Dia 22mm Outer Dia 32 mm Thickness 5/6mm TG4 VK801/C/C///	<b>SE 8125-11</b>  Pinion Valve Oil Seal,		<b>Peugeot</b> 405
	Inner Dia 15mm Outer Dia 30 mm Thickness 5/6mm TCJ1 NR701B/C/C///	<b>SE 8125-12</b>  Transmission Shaft Oil Seal, Manual		<b>Peugeot</b> 405
	Inner Dia 32mm Outer Dia 54.7 mm Thickness 6.8mm VCRO3 NK701B/C//	<b>SE 8125-13</b>  Needle Bearing, Axle Oil Seal		<b>Peugeot</b> 206

All vehicle manufacturers, name and original numbers in this catalogue are for reference purposes only.

Picture	Remark	SEGAL No	OEM, Reference	Replacement
	Inner Dia 90mm Outer Dia 110 mm Thickness 7mm (8) Material: Viton Type:TGL-BI	<b>SE 8125-15</b>  Crankshaft Oil Seal, Transmission End	12728 96143793 96162017 9614379380 2322129000 9614379380 1612166G10 SU00100060	<b>Peugeot:</b> 405 / 205 / 206 /305 / 3.6 307 / 308 / 309 / 406 / 407 605/ 607/ 806 / 807 Boxer/ Expert/ J5/ J9/ Partner <b>Citroen:</b> Berlingo/ BX/ C15/ C25/ C3 C4/ C5 / C8/ Evasion/ Jumper Jumpy /Xantia/ Xm/ Xsara/ ZX <b>Renault:</b> Alfa/ Audi/ BMW Fiat/ Ford/ Honda Hyundai/ Jeep/ Kia/ Lancia Mercedec/ Mitsubishi/ Nissan Nissan/ Opel/ Rover Suzuki/ Toyota / VW
	Inner Dia 36mm Outer Dia 50 mm Thickness 7mm TGR-BI VN801,PKC01/C/C///	<b>SE 8125-16</b>  Camshaft, Oil Seal		<b>Peugeot</b> 405/ 106/ 205 / 206 / 207 305/ 306 / 307/ 309 / 406 407 / 605 / 607 / 806 / 807 Bipper / Boxer Expert/ Partner <b>Citroen</b> AX / Berlingo / BX / C15 C2 / C3/ C4/ C5/ C8 Evasion / Juper/ Jumpy Nemo / Saxso / Visa Xantia / XM / Xsara / ZX  <b>Fiat / Hyundai / Kia</b> <b>Lanchia /Nissan</b> <b>Opel / Chevrolet</b>
	Inner Dia 85mm Outer Dia 105 mm Thickness 10mm Type: TGL-BI VN801,PKC01/C/C///	<b>SE 8125-18</b>  Crankshaft Oil Seal, Transmission End		<b>Peugeot</b> 206
	Inner Dia 42mm Outer Dia 66mm Thickness 7mm Type: TGR-BI Viton-ACM	<b>SE 8125-19</b>  Crankshaft Oil Seal, Timing End	51438 97510801	<b>Peugeot</b> 206 106 / 1007 / 205 / 207 306/307/309 Pqrtner  <b>Citroen</b>



All vehicle manufacturers, name and original numbers in this catalogue are for reference purposes only.






Picture	Remark	SEGAL No	OEM, Reference	Replacement
	Inner Dia 38mm Outer Dia 50mm Thickness 7mm Type: TGR-BI Viton-ACM	<b>SE 8125-20</b>  Camshaft, Oil Seal		<b>Peugeot</b> 206
	Inner Dia 40mm Outer Dia 58mm Thickness 10/17mm Type: TG9L ACM	<b>SE 8125-21</b>  C.V Joint, Oil Seal		<b>Peugeot</b> 206
	Inner Dia 29.85mm Outer Dia 47mm Thickness 9.9/17mm Type: TG9L ACM	<b>SE 8125-22</b>  C.V Joint, Oil Seal		<b>Peugeot</b> 206
	Inner Dia 24mm Outer Dia 35.15/39 Thickness 7.7/10mm Type: SGJ1R ACM	<b>SE 8125-23</b>  Transmission Shaft, Oil Seal, Manual		<b>Peugeot</b> 206
	Inner Dia 29mm Outer Dia 43mm Thickness 7mm Type: SCN15 Viton	<b>SE 8125-24</b>  Pinion valve Oil Seal,		<b>Peugeot</b> 206

All vehicle manufacturers, name and original numbers in this catalogue are for reference purposes only.

Picture	Remark	SEGAL No	OEM, Reference	Replacement
	Inner Dia 20mm Outer Dia 30mm Thickness 5.6mm Type: TG Viton	<b>SE 8125-25</b>  Pinion valve Oil Seal,		<b>Peugeot</b> 206
	Inner Dia 15mm Outer Dia 23mm Thickness 4mm Type: TG NBR	<b>SE 8125-26</b>  Transmission Shaft Oil Seal, Manual		<b>Peugeot</b> 206
	Inner Dia 20mm Outer Dia 32mm Thickness 5.6mm Type: TG Viton	<b>SE 8125-29</b>  Pinion valve Oil Seal,		<b>Peugeot</b> 206
	Inner Dia 32mm Outer Dia 59mm Thickness 5.7mm Type: VCR03 NBR	<b>SE 8125-30</b>  Needle Bearing, Axle Oil Seal		<b>Peugeot</b> 206 SD
	Inner Dia 83mm Outer Dia 100mm Thickness 9mm Type: TGL Silicon	<b>SE 8125-36</b>  Crankshaft Oil Seal, Transmission End		<b>Kia</b> Pride



All vehicle manufacturers, name and original numbers in this catalogue are for reference purposes only.

Picture	Remark	SEGAL No	OEM, Reference	Replacement
	Inner Dia 35.5mm Outer Dia 50.5mm Thickness 5.7mm Type: TCR ACM	<b>SE 8125-37</b>  Crankhaft Oil Seal, Timing End		<b>Kia</b> Pride
	Inner Dia 30mm Outer Dia 44mm Thickness 7mm Type: TCR ACM	<b>SE 8125-38</b>  Camshaft, Oil Seal		<b>Kia</b> Pride
	Inner Dia 22mm Outer Dia 38mm Thickness 8mm Type: TGR9 ACM	<b>SE 8125-39</b>  Transmission Shaft, Oil Seal, Manual		<b>Kia</b> Pride
	Inner Dia 16mm Outer Dia 28mm Thickness 15.2mm Type: TZ5 NBR	<b>SE 8125-40</b>  Transmission Shaft, Oil Seal, Manual		<b>Kia</b> Pride
	Inner Dia 35mm Outer Dia 56mm Thickness 9/15mm Type: TG9W14 ACM	<b>SE 8125-41</b>  C.V Joint, Oil Seal		<b>Kia</b> Pride